

Homework #5: Chapter 10,13

The following exercises are due at the beginning of class on Wednesday, April 3. Note, this homework is continued on the reverse side of the paper.

1. [20 points] Consider the PDDL actions defined for the air cargo problem in Figure 10.1 on page 369 of the book, and the problem instance described below:

Initial State: $At(P1,LAX) \wedge At(P2,JFK) \wedge At(C1,ORD) \wedge In(C2,P1) \wedge Plane(P1) \wedge Plane(P2) \wedge Cargo(C1) \wedge Cargo(C2) \wedge Airport(JFK) \wedge Airport(LAX) \wedge Airport(ORD)$

Goal: $At(P1,JFK) \wedge At(P2,LAX) \wedge At(C1,JFK) \wedge In(C2,P1)$

- a) [10 points] Using forward state-space search, draw a search tree to depth 1. Expand the root node, showing all actions that are applicable in the initial state, as well as the successor states that result from these actions. For convenience, your state descriptions may omit literals that use the *Plane*, *Airport*, and *Cargo* predicates. Note, you should show all applicable actions, even those that are spurious.
 - b) [10 points] Now draw the search tree to depth 1, but use backward state-space search. Expand the root node, showing all actions that are relevant to the given goal, and show the predecessor states for these actions. In addition to omitting literals that use the *Plane*, *Airport*, and *Cargo* predicates as above, you may use variables as parameters for the actions.
2. [25 points] The monkey-and-bananas problem is faced by a monkey in a laboratory with some bananas hanging out of reach from the ceiling. A box is available that will enable the monkey to reach the bananas if he climbs on it. Assume that your domain predicates are:
 - $At(x,l)$: x is at location l
 - $Height(x,h)$: x has height h
 - $Holding(x,o)$: x is holding object o
 - $On(x,o)$: x is on object o
 - $Climbable(o)$: object o can be climbed on (such as a box)
 - $Pushable(o)$: object o can be pushed across the floor (such as a box)
 - $Small(x)$: x is small enough to hold in a monkey's hand

Initially, the *Monkey* is at location A , the *Bananas* at B , and the *Box* at C . The monkey and box have height *Low*, but if the monkey climbs onto the box, he will have height *High*, the same as the bananas. The actions available to the monkey include *Go* from one place to another, *Push* a pushable object from one place to another, *ClimbUp* onto or *ClimbDown* from a box, and *Grasp* or *Ungrasp* a small object. The monkey may only push or climb on a climbable object if it is at the same location as the box. Grasping results in holding the object if the monkey and object are in the same place at the same height.

- a) [5 points] Write down the initial state description.
- b) [15 points] Write down PDDL-style definitions of the six actions. Be sure your actions schemas have correct parameter lists and that the preconditions and effects capture the semantics of the action as closely as PDDL allows.
- c) [5 points] Give a total-order plan that is a solution to the goal $Holding(Monkey,Bananas)$. You do not have to use an algorithm to find this plan, nor do you need to show your work.

3. [30 points] Consider the problem of putting on one's shoes and socks, described as follows:

Goal($\text{RightShoeOn} \wedge \text{LeftShoeOn}$)

Init(\emptyset)

Action(RightShoe , PRECOND: RightSockOn , EFFECT: RightShoeOn)

Action(RightSock , PRECOND: $\neg\text{RightSockOn}$, EFFECT: RightSockOn)

Action(LeftShoe , PRECOND: LeftSockOn , EFFECT: LeftShoeOn)

Action(LeftSock , PRECOND: $\neg\text{LeftSockOn}$, EFFECT: LeftSockOn)

- a) [25 points] Construct levels S_0, A_0, S_1, A_1 and S_2 of the planning graph. For each level, provide a table that indicates the pairs of literals (or actions) that are mutex, along with a short justification of why they are mutex (e.g., A and B have inconsistent effects on literal F, or A interferes with B on literal F).
- b) [5 points] Estimate the cost of the goal using the max-level, level sum and set-level heuristics.
4. [15 points] A full joint distribution for the Boolean random variables A, B , and C is specified below. Assume that the true value of a random variable is the corresponding lower case letter (e.g., $P(b)$ means $P(B=\text{true})$)

	b		$\neg b$	
	c	$\neg c$	c	$\neg c$
a	0.10	0.01	0.05	0.20
$\neg a$	0.20	0.04	0.15	0.25

Use the distribution to compute the following probabilities. Show your work.

- a) $P(a)$
- b) $\mathbf{P(B)}$
- c) $P(\neg a \wedge b)$
- d) $P(\neg c \vee a)$
- e) $P(\neg a \mid b \wedge c)$
5. [10 points] Consider the set of all possible five-card poker hands dealt fairly from a standard deck of fifty-two cards. There are four suits, each with thirteen ranks.
- a) How many atomic events are there in the joint probability distribution (i.e., how many distinct five-card hands are there)? Remember, two hands are the same if they contain the same five cards, regardless of the order that the cards are dealt. Hint: This problem is simple if you understand permutations and combinations.
- b) What is the probability of each atomic event?
- c) What is the probability of being dealt a royal flush? Note, a royal flush is a the Ace, King, Queen, Jack and 10 all in the same suit. Show your work.
- d) What is the probability of being dealt four-of-a-kind? Note, this is when four of the five cards have the same rank. Show your work.