

## Homework #5: Chapters 10 and 13

The following exercises are due at the beginning of class on Tuesday, April 10. Note, this homework is continued on the reverse side of the paper.

1. [20 points] Consider the PDDL actions defined for the air cargo problem in Figure 10.1 on page 369 of the book, and the problem instance described below:

**Initial State:**  $At(P1,SFO) \wedge At(P2,JFK) \wedge At(C1,SFO) \wedge In(C2,P2) \wedge Plane(P1) \wedge Plane(P2) \wedge Cargo(C1) \wedge Cargo(C2) \wedge Airport(JFK) \wedge Airport(SFO) \wedge Airport(ORD)$


**Goal:**  $At(P1,SFO) \wedge At(P2,SFO) \wedge At(C1,JFK) \wedge In(C2,P1)$

- a) [10 points] Using forward state-space search, draw a search tree to depth 1. Expand the root node, showing all actions that are applicable in the initial state, as well as the successor states that result from these actions. For convenience, your state descriptions may omit literals that use the Plane, Airport, and Cargo predicates. Note, you should show all applicable actions, even those that are spurious.
- b) [10 points] Now draw the search tree to depth 1, but use backward state-space search. Expand the root node, showing all actions that are relevant to the given goal, and show the predecessor states for these actions. In addition to omitting literals that use the Plane, Airport, and Cargo predicates as above, you may use variables as parameters for the actions, but be careful to specify any constraints that are necessary to maintain relevance.
2. [25 points] Consider the world of Shaky the robot, as described in problem 10.4 on page 397 of the book.

- a) [15 points] Using PDDL syntax, define the 6 actions described in the book ( $Go(x,y,r)$ ,  $Push(b,x,y,r)$ ,  $ClimbUp(x,b)$ ,  $ClimbDown(b,x)$ ,  $TurnOn(s,b,x)$ , and  $TurnOff(s,b,x)$ <sup>1</sup>). In your action definitions, use only the predicates  $Box(b)$  to mean that  $b$  is a box,  $In(x,r)$  to mean that location  $x$  is in room  $r$ ,  $At(x,y)$  to mean that the object  $x$  is at location  $y$ ,  $ShakyOn(x)$  to mean that Shaky is on the object  $x$ ,  $Switch(s)$  to mean that  $s$  is a switch, and  $SwitchOn(s)$  to mean that the switch  $s$  is on. No constants other than Shaky or Floor should be used in the action definitions.

- b) [5 points] Define the initial state depicted to the right. Use only the constants  $Box1$ ,  $Box2$ ,  $Switch1$ ,  $Switch2$ ,  $Floor$ ,  $Shaky$ ,  $Room1$ ,  $Room2$ ,  $Corridor$ ,  $L_{Door1}$ ,  $L_{Door2}$ ,  $L_{ShakyStart}$ ,  $L_{Switch1}$ ,  $L_{Box1Start}$ ,  $L_{Box2Start}$ ,  $L_{Switch2}$ . Hint: You should have 20 conjuncts in the initial state definition.

- c) [5 points] Provide a totally ordered plan for Shaky to turn off  $Switch2$  using the actions defined in part a and the initial state defined in part b. You do not need to use an algorithm to find the plan, nor do you need to show your work.



NOTE: The intended interpretation of the switches drawn is that  $Switch1$  is in the off position and  $Switch2$  is in the on position.

<sup>1</sup> We have added a location  $x$  to  $TurnOn$  and  $TurnOff$  to ensure correctness of the PDDL definitions.

3. [30 points] Consider the dinner date problem described below. Note, to keep thing simple the state is described using propositions instead of literals:
- Init( $\text{garbage} \wedge \text{cleanHands} \wedge \text{quiet}$ )
  - Goal( $\text{dinner} \wedge \text{present} \wedge \neg \text{garbage}$ )
  - Action(Cook, PRECOND:  $\text{cleanHands}$ , EFFECT:  $\text{dinner}$ )
  - Action(Wrap, PRECOND:  $\text{quiet}$ , EFFECT:  $\text{present}$ )
  - Action(Carry, PRECOND:  $\emptyset$ , EFFECT:  $\neg \text{garbage} \wedge \neg \text{cleanHands}$ )
  - Action(Dolly, PRECOND:  $\emptyset$ , EFFECT:  $\neg \text{garbage} \wedge \neg \text{quiet}$ )
- a) [25 points] Construct levels  $S_0, A_0, S_1, A_1$  and  $S_2$  of the planning graph. For each level, provide a table that indicates the pairs of literals (or actions) that are mutex, along with a short justification of why they are mutex (e.g., A and B have inconsistent effects on literal F, A interferes with B on literal F, etc.).
- b) [5 points] Estimate the cost of the goal using the max-level, level sum and set-level heuristics.
4. [15 points, 3 points each] A full joint distribution for the Boolean random variables  $A, B$ , and  $C$  is specified below. Assume that the true value of a random variable is the corresponding lower case letter (e.g.,  $P(b)$  means  $P(B=\text{true})$ )

	$b$		$\neg b$	
	$c$	$\neg c$	$c$	$\neg c$
$a$	0.10	0.01	0.05	0.20
$\neg a$	0.20	0.04	0.15	0.25

Use the distribution to compute the following probabilities. Show your work.

- a)  $P(\neg a)$
  - b)  $\mathbf{P}(B)$
  - c)  $P(\neg a \wedge b)$
  - d)  $P(\neg c \vee a)$
  - e)  $P(a \mid \neg b \wedge c)$
5. [10 points] After your annual checkup, the doctor has bad news and good news. The bad news is that you tested positive for a serious disease and that the test is 99% accurate (i.e., the probability of testing positive when you do have the disease is 0.99, as is the probability of testing negative when you don't have the disease). The good news is that this is a rare disease, striking only 1 in 10,000 people of your age. Why is it good news that the disease is rare? What are the chances that you actually have the disease? Use probability theory to calculate your answer.